

## Author Index

- Aharonovitz, O., see Livne, A.A. (1135) 13  
 Alcántara-Hernández, R., see García-Sáinz, J.A. (1135) 221  
 Annabi, B., see García-Sáinz, J.A. (1135) 221  
 Antoni, F., see Kalapos, M.P. (1135) 159  
 Arents, J.C., see Schulkes, C.C.G.M. (1135) 73  
 Attwood, P.V., see Rossi, E. (1135) 262
- Baker, E., see St. Pierre, T.G. (1135) 154  
 Belfrage, P., see Langin, D. (1135) 349  
 Berenson, G.S., see Vijayagopal, P. (1135) 129  
 Berg, K.  
   The unpolymerized form of tubulin is the target for microtubule inhibition by photoactivated tetra(4-sulfonatophenyl)porphine (1135) 147  
 Bezrukov, V.M., see Krasil'nikov, M.A. (1135) 91  
 Blazsek, J., see Lee, S.-W. (1135) 115  
 Bondon, A., Tiffoche, C., Simonneaux, G., Le Pennec, J.-P. and Jegou, P.  
   A possible calcium binding site in animal lectins: a  $^1\text{H}$ -NMR study of the interaction between lanthanides and a synthetic peptide from a highly conserved domain of *Pleurodeles* lectin (1135) 19  
 Borchardt, R.T., see Hu, M. (1135) 233  
 Borchert, M., see Ziegler, I. (1135) 330  
 Boyle, P.H., see Ziegler, I. (1135) 330  
 Brindle, K.M., see Murphy, E.J. (1135) 27  
 Brown, B.L., see Rahman, S. (1135) 97  
 Brown, C.D.A., see McEwan, G.T.A. (1135) 180  
 Brown, J., see McCormick, K.L. (1135) 1  
 Brunko, E., see Delporte, C. (1135) 323  
 Bunning, R.A.D., see Rahman, S. (1135) 97  
 Burbaev, D.S., see Vanin, A.F. (1135) 275
- Campbell, D., see Sanghera, J.S. (1135) 335  
 Cerù, M.P., see Piacentini, M. (1135) 171  
 Chapman, K., see Rahman, S. (1135) 97  
 Chiba, T., see Yoshida, L.S. (1135) 245  
 Christophe, J., see Delporte, C. (1135) 323  
 Ciolino, H.P., see Vijayagopal, P. (1135) 129  
 Curtis, A.J., Ng, C.K., Handley, C.J. and Robinson, H.C.  
   Effect of insulin-like growth factor-I on the synthesis and distribution of link protein and hyaluronan in explant cultures of articular cartilage (1135) 309
- Davies, P.J.A., see Piacentini, M. (1135) 171  
 Davis, A.P., see Ziegler, I. (1135) 330  
 Delporte, C., Winand, J., Poloczek, P., Brunko, E., Tastenoy, M., Waelbroeck, M. and Christophe, J.  
   Inhibitory effects of ATP and other nucleotides on atrial natriuretic peptide (ANP) binding to R1-type ANP receptors in human neuroblastoma NB-OK-1 cell membranes (1135) 323  
 Dias, J.A.  
   Recent progress in structure-function and molecular analyses of the pituitary/placental glycoprotein hormone receptors (1135) 287  
 Dini, L., see Piacentini, M. (1135) 171  
 Dionne, C.A., see Jaye, M. (1135) 185
- Di Rao, M., see Piacentini, M. (1135) 171  
 Dixon, R.M., see Murphy, E.J. (1135) 27  
 Dobson, P.R.M., see Rahman, S. (1135) 97  
 Dostmann, W., see Hofmann, F. (1135) 51  
 Durkó, I., Joó, I. and Juhász, A.  
   Effects of melatonin and light on porphyrin synthesis in the bovine retina, pigment epithelium and choroid (1135) 111  
 Dutta-Roy, A.K., see Rae, M.G. (1135) 343
- Ekholm, D., see Langin, D. (1135) 349  
 Elford, B.C., see Kirk, K. (1135) 8  
 Ellory, J.C., see Kirk, K. (1135) 8  
 Engström, K.G. and Ohlsson, L.  
   Acute and long-term biphasic volume alterations in rat type-II somatotrophs during GH secretory stimulation (1135) 318  
 Evan, G., see Lee, S.-W. (1135) 115  
 Evans, D.B., see Rahman, S. (1135) 97
- Fan, T.W.-M., Higashi, R.M. and Lane, A.N.  
   Temperature dependence of arginine kinase reaction in the tail muscle of live *Sycionia ingentis* as measured in vivo by  $^{31}\text{P}$ -NMR driven saturation transfer (1135) 44  
 Fatania, H.R., see Stace, P.B. (1135) 201  
 Fesus, L., see Piacentini, M. (1135) 171  
 Fine, A., Matsui, R., Zhan, X., Poliks, C.F., Smith, B.D. and Goldstein, R.H.  
   Discordant regulation of human type I collagen genes by prostaglandin  $\text{E}_2$  (1135) 67  
 Fitz, J.S., see Harnadek, G.J. (1135) 280
- García-Sáinz, J.A., Alcántara-Hernández, R., Robles-Flores, M., Torres-Márquez, M.E., Massillon, D., Annabi, B. and Van de Werve, G.  
   Modulation by protein kinase C of the hormonal responsiveness of hepatocytes from lean (Fa/fa?) and obese (fa/fa) Zucker rats (1135) 221  
 Garcia-Webb, P., see Rossi, E. (1135) 262  
 Garzó, T., see Kalapos, M.P. (1135) 159  
 Goldstein, R.H., see Fine, A. (1135) 67
- Hall, F.L., see Sanghera, J.S. (1135) 335  
 Handley, C.J., see Curtis, A.J. (1135) 309  
 Harnadek, G.J., Ries, E.A., Tse, D.G., Fitz, J.S. and Njus, D.  
   Electron transfer in chromaffin-vesicle ghosts containing peroxidase (1135) 280  
 Hasegawa, Y., see Nakamura, T. (1135) 103  
 Hashimoto, Y., see Muroya, K. (1135) 353  
 Hatayama, T., Tsujioka, K., Wakatsuki, T., Kitamura, T. and Imahara, H.  
   Effects of culture temperature on the expression of heat-shock proteins in murine ts85 cells (1135) 253  
 Hattori, S., see Muroya, K. (1135) 353  
 Heaney, F., see Ziegler, I. (1135) 330  
 Higashi, R.M., see Fan, T.W.-M. (1135) 44  
 Hingre, K., see McCormick, K.L. (1135) 1  
 Hirst, B.H., see McEwan, G.T.A. (1135) 180

- Hofmann, F., Dostmann, W., Keilbach, A., Landgraf, W. and Ruth, P.  
Structure and physiological role of cGMP-dependent protein kinase (1135) 51
- Hu, M. and Borchardt, R.T.  
Transport of a large neutral amino acid in a human intestinal epithelial cell line (Caco-2): uptake and efflux of phenylalanine (1135) 233
- Humphreys-Beher, M.G., see Lee, S.-W. (1135) 115
- Imahara, H., see Hatayama, T. (1135) 253
- Imanaka, T., see Watanabe, T. (1135) 84
- Itoga, H., see Watanabe, T. (1135) 84
- Jackson, A., see Stace, P.B. (1135) 201
- Jackson, S.K., James, P.E., Rowlands, C.C. and Mile, B.  
Binding of endotoxin to macrophages; interactions of spin-labelled saccharide residues (1135) 165
- James, P.E., see Jackson, S.K. (1135) 165
- Jaye, M., Schlessinger, J. and Dionne, C.A.  
Fibroblast growth factor receptor tyrosine kinases: molecular analysis and signal transduction (1135) 185
- Jego, P., see Bondon, A. (1135) 19
- Jolly, Y.C., see Konrad, R.J. (1135) 215
- Jones, T.H., see Rahman, S. (1135) 97
- Joó, I., see Durkó, I. (1135) 111
- Juhász, A., see Durkó, I. (1135) 111
- Kakinuma, K., see Yoshida, L.S. (1135) 245
- Kalapos, M.P., Garzó, T., Antoni, F. and Mandl, J.  
Accumulation of *S*-D-lactoylglutathione and transient decrease of glutathione level caused by methylglyoxal load in isolated hepatocytes (1135) 159
- Keilbach, A., see Hofmann, F. (1135) 51
- Kerbey, A.L., see Stace, P.B. (1135) 201
- Kirk, K., Elford, B.C. and Ellory, J.C.  
The increased  $K^+$  leak of malaria-infected erythrocytes is not via a  $Ca^{2+}$ -activated  $K^+$  channel (1135) 8
- Kitamura, T., see Hatayama, T. (1135) 253
- Kogawa, K., see Nakamura, T. (1135) 103
- Konrad, R.J., Jolly, Y.C., Major, C. and Wolf, B.A.  
Inhibition of phospholipase  $A_2$  and insulin secretion in pancreatic islets (1135) 215
- Krasil'nikov, M.A., Bezrukov, V.M. and Shatskaya, V.A.  
Glucocorticoid regulation of phospholipid turnover and protein kinase C activity in mouse hepatoma 22 cells (1135) 91
- Kurashige, T., see Tomoda, T. (1135) 79
- Kurochkin, I.N., see Sukhomlin, T.K. (1135) 226
- Lafontan, M., see Langin, D. (1135) 349
- Landgraf, W., see Hofmann, F. (1135) 51
- Lane, A.N., see Fan, T.W.-M. (1135) 44
- Langin, D., Ekholm, D., Ridderstråle, M., Lafontan, M. and Bel-frage, P.  
cAMP-dependent protein kinase activation mediated by  $\beta_3$ -adrenergic receptors parallels lipolysis in rat adipocytes (1135) 349
- Lee, S.-W., Purushotham, K.R., Littlewood, T., Evan, G., Zelles, T., Blazsek, J., Nakagawa, Y. and Humphreys-Beher, M.G.  
Down-regulation of cellular proto-oncogenes during inhibition of rat parotid acinar cell proliferation (1135) 115
- Le Pennec, J.-P., see Bondon, A. (1135) 19
- Littlewood, T., see Lee, S.-W. (1135) 115
- Livne, A.A. and Aharonovitz, O.  
Ligand-affected shift of  $Na^+/H^+$  exchange  $pH_i$  set point in human blood platelets, rapidly revealed by a novel approach (1135) 13
- Major, C., see Konrad, R.J. (1135) 215
- Mandl, J., see Kalapos, M.P. (1135) 159
- Mas, A. and Sarkar, B.  
Uptake of  $^{67}Cu$  by isolated human trophoblast cells (1135) 123
- Massillon, D., see García-Sáinz, J.A. (1135) 221
- Matsui, R., see Fine, A. (1135) 67
- McCormick, K.L., Hingre, K., Brown, J. and Mick, G.J.  
Activation of in situ glycolytic flux by bisphosphorylated compounds: studies in porous rat adipocytes (1135) 1
- McEwan, G.T.A., Brown, C.D.A., Hirst, B.H. and Simmons, N.L.  
Hypo-osmolar stimulation of transepithelial  $Cl^-$  secretion in cultured human  $T_{84}$  intestinal epithelial layers (1135) 180
- Melikhova, E.M., see Sukhomlin, T.K. (1135) 226
- Men'shikov, G.B., see Vanin, A.F. (1135) 275
- Mick, G.J., see McCormick, K.L. (1135) 1
- Mile, B., see Jackson, S.K. (1135) 165
- Moghim, S.M. and Patel, H.M.  
Opsonophagocytosis of liposomes by peritoneal macrophages and bone marrow reticuloendothelial cells (1135) 269
- Mordvintsev, P.I., see Vanin, A.F. (1135) 275
- Morgan, E.H., see Qian, Z.M. (1135) 35
- Moroz, I.A., see Vanin, A.F. (1135) 275
- Müller, S., see Nigam, S. (1135) 301
- Muroya, K., Hashimoto, Y., Hattori, S. and Nakamura, S.  
Specific inhibition of NGF receptor tyrosine kinase activity by K-252a (1135) 353
- Murphy, E.J., Brindle, K.M., Rorison, C.J., Dixon, R.M., Rajagopalan, B. and Radda, G.K.  
Changes in phosphatidylethanolamine metabolism in regenerating rat liver as measured by  $^{31}P$ -NMR (1135) 27
- Nakagawa, Y., see Lee, S.-W. (1135) 115
- Nakamura, S., see Muroya, K. (1135) 353
- Nakamura, T., Hasegawa, Y., Sugino, K., Kogawa, K., Titani, K. and Sugino, H.  
Follistatin inhibits activin-induced differentiation of rat follicular granulosa cells in vitro (1135) 103
- Nakamura, T., see Osada, S. (1135) 229
- Ng, C.K., see Curtis, A.J. (1135) 309
- Nigam, S., Müller, S. and Walzog, B.  
Effect of staurosporine on fMet-Leu-Phe-stimulated human neutrophils: dissociated release of inositol 1,4,5-trisphosphate, diacylglycerol and intracellular calcium (1135) 301
- Njus, D., see Harnadek, G.J. (1135) 280
- Nozawa, Y., see Osada, S. (1135) 229
- Ohlsson, L., see Engström, K.G. (1135) 318
- Okawa, S., see Watanabe, T. (1135) 84
- Osada, S., Saji, S., Nakamura, T. and Nozawa, Y.  
Cytosolic calcium oscillations induced by hepatocyte growth factor (HGF) in single fura-2-loaded cultured hepatocytes: effects of extracellular calcium and protein kinase C (1135) 229
- Park, H.-Y., see Scheidl, H. (1135) 295
- Patel, H.M., see Moghim, S.M. (1135) 269
- Pelech, S.L., see Sanghera, J.S. (1135) 335
- Peters, T.J., see Raja, K.B. (1135) 141
- Peterson, S.L. and Stevenson, P.M.  
Changes in catalase activity and concentration during ovarian development and differentiation (1135) 207
- Piacentini, M., Cerù, M.P., Dini, L., Di Rao, M., Piredda, L., Thomazy, V., Davies, P.J.A. and Fesus, L.  
In vivo and in vitro induction of 'tissue' transglutaminase in rat hepatocytes by retinoic acid (1135) 171
- Piredda, L., see Piacentini, M. (1135) 171
- Poliks, C.F., see Fine, A. (1135) 67



- Poloczek, P., see Delporte, C. (1135) 323  
 Purushotham, K.R., see Lee, S.-W. (1135) 115
- Qian, Z.M. and Morgan, E.H.  
 Changes in the uptake of transferrin-free and transferrin-bound iron during reticulocyte maturation in vivo and in vitro (1135) 35
- Radda, G.K., see Murphy, E.J. (1135) 27  
 Rae, M.G., Rotondo, D. and Dutta-Roy, A.K.  
 Regulation of prostaglandin  $E_2$  binding to a murine macrophage cell line, P388D<sub>1</sub>, by insulin (1135) 343  
 Rahman, S., Bunning, R.A.D., Dobson, P.R.M., Evans, D.B., Chapman, K., Jones, T.H., Brown, B.L. and Russell, R.G.G.  
 Bradykinin stimulates the production of prostaglandin  $E_2$  and interleukin-6 in human osteoblast-like cells (1135) 97  
 Raja, K.B., Simpson, R.J. and Peters, T.J.  
 Investigation of a role for reduction in ferric iron uptake by mouse duodenum (1135) 141  
 Rajagopalan, B., see Murphy, E.J. (1135) 27  
 Randle, P.J., see Stace, P.B. (1135) 201  
 Raufman, J.-P.  
 Actions of phorbol esters on levels of cAMP in cholera toxin-treated chief cells from guinea pig stomach (1135) 61  
 Richardson, D.R., see St. Pierre, T.G. (1135) 154  
 Ridderstråle, M., see Langin, D. (1135) 349  
 Ries, E.A., see Harnadek, G.J. (1135) 280  
 Robinson, H.C., see Curtis, A.J. (1135) 309  
 Robles-Flores, M., see García-Sáinz, J.A. (1135) 221  
 Rorison, C.J., see Murphy, E.J. (1135) 27  
 Rossi, E., Attwood, P.V. and Garcia-Webb, P.  
 Inhibition of human lymphocyte coproporphyrinogen oxidase activity by metals, bilirubin and haemin (1135) 262  
 Rotondo, D., see Rae, M.G. (1135) 343  
 Rowlands, C.C., see Jackson, S.K. (1135) 165  
 Russell, R.G.G., see Rahman, S. (1135) 97  
 Ruth, P., see Hofmann, F. (1135) 51
- Saji, S., see Osada, S. (1135) 229  
 Sampson, P.H., see Scheidl, H. (1135) 295  
 Sanghera, J.S., Hall, F.L., Warburton, D., Campbell, D. and Pelech, S.L.  
 Identification of epidermal growth factor Thr-669 phosphorylation site peptide kinases as distinct MAP kinases and p34<sup>cdc2</sup> (1135) 335  
 Sarkar, B., see Mas, A. (1135) 123  
 Scheidl, H., Scita, G., Sampson, P.H., Park, H.-Y. and Wolf, G.  
 The effect of sphingosine and phorbol ester on the signal transduction enzymes and fibronectin release in cell culture (1135) 295  
 Schlessinger, J., see Jaye, M. (1135) 185  
 Schoen, C.D., see Schulkes, C.C.G.M. (1135) 73  
 Schulkes, C.C.G.M., Schoen, C.D., Arents, J.C. and Van Driel, R.  
 A soluble factor and GTP $\gamma$ S are required for *Dictyostelium discoideum* guanylate cyclase activity (1135) 73  
 Scita, G., see Scheidl, H. (1135) 295  
 Serezhenkov, V.A., see Vanin, A.F. (1135) 275  
 Shatskaya, V.A., see Krasil'nikov, M.A. (1135) 91  
 Simmons, N.L., see McEwan, G.T.A. (1135) 180  
 Simonneaux, G., see Bondon, A. (1135) 19  
 Simpson, R.J., see Raja, K.B. (1135) 141  
 Smith, B.D., see Fine, A. (1135) 67  
 Stace, P.B., Fatania, H.R., Jackson, A., Kerbey, A.L. and Randle, P.J.  
 Cyclic AMP and free fatty acids in the longer-term regulation of pyruvate dehydrogenase kinase in rat soleus muscle (1135) 201
- Stevenson, P.M., see Peterson, S.L. (1135) 207  
 St. Pierre, T.G., Richardson, D.R., Baker, E. and Webb, J.  
 A low-spin iron complex in human melanoma and rat hepatoma cells and a high-spin iron(II) complex in rat hepatoma cells (1135) 154  
 Suga, T., see Watanabe, T. (1135) 84  
 Sugino, H., see Nakamura, T. (1135) 103  
 Sugino, K., see Nakamura, T. (1135) 103  
 Sukhomlin, T.K., Melikhova, E.M., Kurochkin, I.N. and Varfolomeev, S.D.  
 Receptor binding on whole cells can oscillate (1135) 226
- Taniguchi, T., see Tomoda, T. (1135) 79  
 Tastenoy, M., see Delporte, C. (1135) 323  
 Thomazy, V., see Piacentini, M. (1135) 171  
 Tiffiche, C., see Bondon, A. (1135) 19  
 Titani, K., see Nakamura, T. (1135) 103  
 Tomoda, T., Kurashige, T. and Taniguchi, T.  
 Inhibition of interferon- $\gamma$ - and phorbol ester-induced HLA-DR and interleukin-1 production by the expression of a transfected poly(ADP-ribose) synthetase gene in human leukemia THP-1 cells (1135) 79  
 Torres-Márquez, M.E., see García-Sáinz, J.A. (1135) 221  
 Tse, D.G., see Harnadek, G.J. (1135) 280  
 Tsujioka, K., see Hatayama, T. (1135) 253
- Van de Werve, G., see García-Sáinz, J.A. (1135) 221  
 Van Driel, R., see Schulkes, C.C.G.M. (1135) 73  
 Vanin, A.F., Men'shikov, G.B., Moroz, I.A., Mordvintcev, P.I., Serezhenkov, V.A. and Burbaev, D.S.  
 The source of non-heme iron that binds nitric oxide in cultivated macrophages (1135) 275  
 Varfolomeev, S.D., see Sukhomlin, T.K. (1135) 226  
 Vijayagopal, P., Ciolino, H.P. and Berenson, G.S.  
 Endothelial cell-conditioned medium modulates the synthesis and structure of proteoglycans in vascular smooth muscle cells (1135) 129
- Waelbroeck, M., see Delporte, C. (1135) 323  
 Wakatsuki, T., see Hatayama, T. (1135) 253  
 Walzog, B., see Nigam, S. (1135) 301  
 Warburton, D., see Sanghera, J.S. (1135) 335  
 Watanabe, T., Okawa, S., Itoga, H., Imanaka, T. and Suga, T.  
 Involvement of calmodulin- and protein kinase C-related mechanism in an induction process of peroxisomal fatty acid oxidation-related enzymes by hypolipidemic peroxisome proliferators (1135) 84  
 Webb, J., see St. Pierre, T.G. (1135) 154  
 Winand, J., see Delporte, C. (1135) 323  
 Wolf, B.A., see Konrad, R.J. (1135) 215  
 Wolf, G., see Scheidl, H. (1135) 295
- Yoshida, L.S., Chiba, T. and Kakinuma, K.  
 Determination of flavin contents in neutrophils by a sensitive chemiluminescence assay: evidence for no translocation of flavoproteins from the cytosol to the membrane upon cell stimulation (1135) 245
- Zelles, T., see Lee, S.-W. (1135) 115  
 Zhan, X., see Fine, A. (1135) 67  
 Ziegler, I., Borchert, M., Heaney, F., Davis, A.P. and Boyle, P.H.  
 Structural requirements for the modulatory effect of 6-substituted pterins on interleukin 2 receptor binding (1135) 330